

Smith & Allan
Valley Street North
Darlington
Co Durham
DL1 1QE



01325 462228



01325 368122



enquiries@smithandallan.com



www.smithandallan.com

# Product Information: Hypower Hydraulic Fluids

### **Description**

Hypower hydraulic fluids are a range of high performance hydraulics manufactured from high quality virgin base stocks and a tailored additive system, to provide high levels of protection and performance in most hydraulic power applications. The formulations are designed to deliver outstanding wear protection, as well as been highly oxidative and thermally stable resisting breakdown under heat and mechanical stress. These fluids also exhibit excellent demulsifying properties, corrosion protection, foam control and air release characteristics as well as minimizing sludge formation, enhancing and maintaining the efficiency of hydraulic systems.

## **Applications**

Hypower hydraulic fluids are desired for use in industrial, mobile and marine power hydraulic systems where a fluid of this type and quality are recommended by the original equipment manufacturer, care should be taken with regards to correct viscosity selection.

#### Performance Features

Outstanding wear protection
Excellent thermal stability
Highly resistant to oxidation
Excellent air release properties
Excellent demulsifying properties

Seal Compatibility

Minimum Cleanliness Level: ISO 4406 21/19/16

Protection against corrosion

#### Performance Levels

DIN 51524 Part 2 (HLP) ISO 6743-4 (HM)

Denison Hydraulics: HF-0, HF-1, HF-2

Cincinnati Machine: P-68 (ISO 32), P-70 (ISO 46), P-69 (ISO 68)

Vickers: I-286-S, M-2950-S

Cleanliness Level: ISO 4406 21/19/16 (Minimum)

FZG Load Stage: >11 (All Grades)

# Typical Data

Characteristic	Unit	22	32	37	46	68	100	150
Density @ 15.6°C	kg/l	0.865	0.870	0.872	0.876	0.882	0.887	0.891
Kinematic Viscosity @ 40°C	cSt	22	32	37	46	68	100	<mark>1</mark> 50
Kinematic Viscosity @ 100°C	cSt	4.35	5.5	6.0	6.9	8.85	11.4	14.9
Viscosity Index		105	108	106	105	103	100	98
Flashpoint (Closed)	°C	204	209	212	218	223	234	<b>23</b> 7
Pour Point	°C	-30	-27	-27	-24	-24	-21	-18

Figures based on average production values









Issue 1 April 2017

The above information is supplied to the best of our knowledge and belief on the basis of current industry and our own development work. Subject to amendment