Printing date 08.09.2021

Revision: 08.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: Hypower TD 46
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC17 Hydraulic fluids
- · Application of the substance / the mixture Hydraulic fluid
- · Uses advised against Processes involving extreme heat use advised against.

\cdot 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Smith & Allan Valley Street North Darlington County Durham DL1 1QE Tel: 01325 462228 Fax: 01325 368122 e-mail: enquiries@smithandallan.com

· Further information obtainable from: Product safety department.

· 1.4 Emergency telephone number:

UK National Poisons Information Service. E-mail: npis.birmingham@nhs.net; Tel: +44 (0)344 892 0111

SECTION 2: Hazards identification

- \cdot 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
- The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

- · Description: A blend of highly refined mineral oils with multifunctional additives.
- · Dangerous components: Void
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses. Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 2)

Printing date 08.09.2021

Revision: 08.09.2021

Trade name: Hypower TD 46

· After swallowing:

Wash mouth out with water

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

· Information for doctor:

High pressure injection injuries of mineral and synthetic oils through the skin require prompt surgical intervention and possibly steroid therapy, to minimise tissue damage and loss of function. Because entry wounds are small and do not reflect the seriousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Local anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Prompt surgical decompression, debridement and evacuation of foreign material should be performed under general anaesthetics, and wide exploration is essential.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

 \cdot Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product. Ensure adequate ventilation
- · 6.2 Environmental precautions:
- Do not allow to penetrate the ground/soil.
- Do not allow product to reach sewage system or any water course.
- \cdot 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections** See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

 \cdot 7.1 Precautions for safe handling

Prevent formation of aerosols.

- Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

(Contd. on page 3)

(Contd. of page 1)

Printing date 08.09.2021

Revision: 08.09.2021

Trade name: Hypower TD 46

	(Contd. of page 2)
	n one common storage facility: Store away from oxidising agents.
 Further information about s 	
Store in cool, dry conditions i	n well sealed receptacles.
Store in a bunded area.	
• 7.3 Specific end use(s) No fu	rther relevant information available.
SECTION 8: Exposure	controls/personal protection
· 8.1 Control parameters	
	ut design of technical facilities: No further data; see item 7.
	s that require monitoring at the workplace:
The product does not contain	any relevant quantities of materials with critical values that have to be monitored
at the workplace.	
	e lists valid during the making were used as basis.
· 8.2 Exposure controls	
· Personal protective equipme	ent:
· General protective and hygi	enic measures:
Do not carry product impregn	ated cleaning cloths in trouser pockets.
Avoid close or long term cont	act with the skin.
Do not eat, drink, smoke or sr	niff while working.
Wash hands before breaks and	d at the end of work.
Avoid contact with the eyes.	
Do not inhale gases / fumes / a	aerosols.
· Respiratory protection:	
Not necessary if room is well-	
Use suitable respiratory protection	ctive device in case of insufficient ventilation.
· Protection of hands:	
The glove material has to be i	mpermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove materia	I on consideration of the penetration times, rates of diffusion and the degradation
 Material of gloves 	
	gloves does not only depend on the material, but also on further marks of quality
	er to manufacturer. As the product is a preparation of several substances, the
	ial can not be calculated in advance and has therefore to be checked prior to the
application.	
· Penetration time of glove ma	
	e has to be found out by the manufacturer of the protective gloves and has to be
observed.	
· Eye protection:	
Safety glasses	
Goggles recommended during	, refilling
 Body protection: 	
Oil resistant protective clothin	
Body protection must be chos	en depending on product properties, activity and possible exposure.
SECTION 9: Physical a	and chemical properties
• 9.1 Information on basic ph	ysical and chemical properties
· General Information	,
· Appearance:	
Form:	Fluid
Colour:	Brown
	Mild
· Odour:	
	Mild Not determined. Not determined.

(Contd. on page 4)

GB

Printing date 08.09.2021

Revision: 08.09.2021

Trade name: Hypower TD 46

	(Contd. of page 3
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined. : Undetermined.
· Flash point:	> 100 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	>250 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
• Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not determined.
 Density at 20 °C: Relative density Vapour density Evaporation rate 	0.88 g/cm ³ Not determined. Not determined. Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
 Viscosity: Dynamic: Kinematic at 40 °C: 	Not determined. >20.5 cSt
• 9.2 Other information	NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: Stability and reactivity

 \cdot 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- \cdot Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB

Printing date 08.09.2021

Trade name: Hypower TD 46

Revision: 08.09.2021

(Contd. of page 4)

- \cdot **Reproductive toxicity** Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability Inherently biodegradable
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Harmful to fish
- \cdot Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

- Recommended Hierarchy of Controls:
- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Contact waste processors for recycling information.

Delivery of waste oil to offically authorised collectors only.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	

Printing date 08.09.2021

Revision: 08.09.2021

Trade name: Hypower TD 46

	(Contd. of page	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
, ,	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
• 14.6 Special precautions for user	Not applicable.	
• 14.7 Transport in bulk according to Anno	ex II of	
Marpol and the IBC Code	Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation": Void		

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- The risk phrases shown below are for those component substances which are listed in section 3 and not for the actual finished formulation.

- Hazards are concentration dependent. Therefore for the actual hazard classification and risk/safety phrases appropriate for the actual finished formulated product refer to section 2.

- · Department issuing SDS: Product safety department.
- · Contact:
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative