SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: <u>Neatcut 32</u>
- · Registration number Mixture
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against
- **Product category** PC25 Metal working fluids
- · Application of the substance / the mixture Metal-working product
- · Uses advised against
- Processes involving extreme heat use advised against.

Processes where workers who may be pregnant or breastfeeding could potentially come into direct contact with the undiluted product.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving significant release of dust, vapour or mist in the breathing zone of workers where they are exposed without suitable respiratory protective equipment (RPE).

The product is intended exclusively for industrial and professional use.

\cdot 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: Smith & Allan
 Valley Street North
 Darlington
 County Durham
 DL1 1QE
 Tel: 01325 462228
 Fax: 01325 368122
 e-mail: enquiries@smithandallan.com

· Further information obtainable from: Product safety department.

· 1.4 Emergency telephone number:

UK National Poisons Information Service. E-mail: npis.birmingham@nhs.net; Tel: +44 (0)344 892 0111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

H362 May cause harm to breast-fed children.

· 2.2 Label elements

Lact.

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms GHS09
- · Signal word Warning
- Hazard-determining components of labelling:
- C14-C17 Chlorinated paraffin
- · Hazard statements
- H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

- \cdot Precautionary statements
- P260 Do not breathe mist/vapours/spray.
- P263 Avoid contact during pregnancy and while nursing.
- P270 Do not eat, drink or smoke when using this product.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

 $(Contd. \ on \ page \ 2)$

Printing date 19.09.2022

Revision: 19.09.2022

Trade name: Neatcut 32

P308+P313 IF exposed or concerned: Get medical advice/attention.

- · 2.3 Other hazards
- \cdot Results of PBT and vPvB assessment

· PBT:

85535-85-9 C14-C17 Chlorinated paraffin

 $\cdot \mathbf{vPvB}$:

85535-85-9 C14-C17 Chlorinated paraffin

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: A blend of highly refined mineral oils with multifunctional additives.

· Dangerous components:

CAS: 85535-85-9 C14-C17 Chlorinated paraffin

EINECS: 287-477-0 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Lact., H362 PBT; vPvB -- >2.5-≤10%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Wash mouth out with water

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

· Information for doctor:

High pressure injection injuries of mineral and synthetic oils through the skin require prompt surgical intervention and possibly steroid therapy, to minimise tissue damage and loss of function. Because entry wounds are small and do not reflect the seriousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Local anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Prompt surgical decompression, debridement and evacuation of foreign material should be performed under general anaesthetics, and wide exploration is essential.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 \cdot **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

(Contd. of page 1)

GB

Printing date 19.09.2022

Revision: 19.09.2022

Trade name: Neatcut 32

In case of fire, the following can be released: Hydrogen chloride (HCl) Combustible • **5.3 Advice for firefighters** • **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Particular danger of slipping on leaked/spilled product.
 Ensure adequate ventilation
 Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions:
 Do not allow to enter sewers/ surface or ground water.
 Do not allow to penetrate the ground/soil.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Store in a bunded area. Protect from frost.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- \cdot Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

GB —

(Contd. of page 2)

Printing date 19.09.2022

Revision: 19.09.2022

Trade name: Neatcut 32

(Contd. of page 3) · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: Pregnant women should strictly avoid inhalation or skin contact. A safe system of work must be formulated and followed to ensure that workers who may be pregnant or breastfeeding do not come into direct contact with the product. Avoid close or long term contact with the skin. Do not carry product impregnated cleaning cloths in trouser pockets. Wash hands before breaks and at the end of work. Do not eat or drink while working. Avoid contact with the eyes. Do not inhale gases / fumes / aerosols. • Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. · Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses Goggles recommended during refilling · Body protection: Oil resistant protective clothing Body protection must be chosen depending on product properties, activity and possible exposure.

SECTION 9: Physical and	chemical properties

Appearance:	Fluid	
Form:	Brown	
Colour: Odour:	Mineral-oil-like	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	inge: Undetermined.	
Flash point:	> 100 °C	
Ignition temperature:	>250 °C	
Auto-ignition temperature:	Product is not self-igniting.	
Explosive properties:	Product does not present an explosion hazard.	
Density at 20 °C:	0.87 g/cm ³	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Viscosity:		
Kinematic at 40 °C:	32 cSt	

Printing date 19.09.2022

Revision: 19.09.2022

(Contd. of page 4)

Trade name: Neatcut 32

• 9.2 Other information

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong oxidising agents.
- **10.6 Hazardous decomposition products:** Hydrogen chloride (HCl)

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- \cdot Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity
- May cause harm to breast-fed children.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

- Toxic for aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- · PBT:

85535-85-9 C14-C17 Chlorinated paraffin

(Contd. on page 6)

Printing date 19.09.2022

Revision: 19.09.2022

(Contd. of page 5)

Trade name: Neatcut 32

· vPvB:

85535-85-9 C14-C17 Chlorinated paraffin

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Contact waste processors for recycling information.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Delivery of waste oil to offically authorised collectors only.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precuations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

Do not mix with other waste streams.

14.1 UN-Number	
ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOU
	SUBSTANCE, LIQUID, N.O.S. (C14-C17 Chlorinate
	paraffin)
IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S. (C14-C17 Chlorinated paraffin)
14.3 Transport hazard class(es)	
ADR, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
Eusei	
IMDG	

Printing date 19.09.2022

Revision: 19.09.2022

Trade name: Neatcut 32

	(Contd. of page (
· Label	9
· 14.4 Packing group · ADR, IMDG, IATA	III
 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): 	No Symbol (fish and tree) Symbol (fish and tree)
 • 14.6 Special precautions for user • Hazard identification number (Kemler code): • EMS Number: • Stowage Category 	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A
· 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	f Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
 Transport category Tunnel restriction code 	3 E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (C14-C1 CHLORINATED PARAFFIN), 9, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Relevant phrases
H362 May cause harm to breast-fed children.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
• Department issuing SDS: Product safety department.
• Abbreviations and acronyms:
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)

⁻ GB

GR

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.09.2022

Trade name: Neatcut 32

Revision: 19.09.2022

(Contd. of page 7) ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Lact.: Reproductive toxicity – effects on or via lactation Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1