# Safety data sheet according to 1907/2006/EC, Article 31

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### · 1.1 Product identifier

- · Trade name: Momentum FS 0W-40
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC24 Lubricants, greases, release products
- · Application of the substance / the mixture Lubricant
- · Uses advised against Processes involving extreme heat use advised against.

### $\cdot$ 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Smith & Allan Valley Street North Darlington County Durham DL1 1QE Tel: 01325 462228 Fax: 01325 368122 e-mail: enquiries@smithandallan.com

#### · Further information obtainable from: Product safety department.

· 1.4 Emergency telephone number:

UK National Poisons Information Service. E-mail: npis.birmingham@nhs.net; Tel: +44 (0)344 892 0111

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
- The product is not classified, according to the CEF regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- EUH208 Contains Alkyl phenol, long chain. May produce an allergic reaction.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: A blend of synthetic base oils with multifunctional additives

· Dangerous components:	
Highly refined low-viscosity mineral oil	>25-≤50%
🚸 Asp. Tox. 1, H304	
Zinc dialkyl dithiophosphate	≤2.5%
Eye Dam. 1, H318;  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315	
Alkyl phenol, long chain	≤1%
(1) Skin Sens. 1, H317	
• Additional information: For the wording of the listed hazard phrases refer to section 16.	

(Contd. on page 2)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.08.2021

Revision: 01.08.2021

# Trade name: Momentum FS 0W-40

(Contd. of page 1)

DO NOT DELAY! Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. • After eye contact: DO NOT DELAY! Check for and remove any contact lenses. Rinse opened eye for several minutes under running water. Then • After swallowing: Wash mouth out with water Do not induce vomiting; call for medical help immediately.	plaints.
Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. • After eye contact: DO NOT DELAY! Check for and remove any contact lenses. Rinse opened eye for several minutes under running water. Then • After swallowing: Wash mouth out with water Do not induce vomiting; call for medical help immediately.	consult a doctor.
Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. • After eye contact: DO NOT DELAY! Check for and remove any contact lenses. Rinse opened eye for several minutes under running water. Then • After swallowing: Wash mouth out with water Do not induce vomiting; call for medical help immediately.	consult a doctor.
If skin irritation continues, consult a doctor. • After eye contact: DO NOT DELAY! Check for and remove any contact lenses. Rinse opened eye for several minutes under running water. Then • After swallowing: Wash mouth out with water Do not induce vomiting; call for medical help immediately.	consult a doctor.
<ul> <li>After eye contact: DO NOT DELAY! Check for and remove any contact lenses. Rinse opened eye for several minutes under running water. Then</li> <li>After swallowing: Wash mouth out with water Do not induce vomiting; call for medical help immediately.</li> </ul>	consult a doctor.
DO NOT DELAY! Check for and remove any contact lenses. Rinse opened eye for several minutes under running water. Then • After swallowing: Wash mouth out with water Do not induce vomiting; call for medical help immediately.	consult a doctor.
Check for and remove any contact lenses. Rinse opened eye for several minutes under running water. Then • <b>After swallowing:</b> Wash mouth out with water Do not induce vomiting; call for medical help immediately.	consult a doctor.
Rinse opened eye for several minutes under running water. Then • After swallowing: Wash mouth out with water Do not induce vomiting; call for medical help immediately.	consult a doctor.
• After swallowing: Wash mouth out with water Do not induce vomiting; call for medical help immediately.	
Wash mouth out with water Do not induce vomiting; call for medical help immediately.	
If vomiting occurs spontaneously, keep head below hips to preve	nt aspiration.
Information for doctor:	
High pressure injection injuries of mineral and synthetic oil	
intervention and possibly steroid therapy, to minimise tissue of wounds are small and do not reflect the seriousness of the u	underlying damage surgical exploration
determine the extent of involvement may be necessary. Local	
because they can contribute to swelling, vasospasm and iso	
debridement and evacuation of foreign material should be perf	
exploration is essential.	
$\cdot 4.2$ Most important symptoms and effects, both acute and del	layed
No further relevant information available.	
• 4.3 Indication of any immediate medical attention and special	l treatment needed
No further relevant information available.	
SECTION 5: Firefighting measures	
• 5.1 Extinguishing media	
• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray of	or alcohol resistant form
• For safety reasons unsuitable extinguishing agents: Water wit	
• 5.2 Special hazards arising from the substance or mixture Co	
• 5.3 Advice for firefighters	moustoie
· Protective equipment:	
Wear self-contained respiratory protective device.	
Wear fully protective suit.	
Do not inhale explosion gases or combustion gases.	

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

# · 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

<sup>-</sup> GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.08.2021

Revision: 01.08.2021

(Contd. of page 2)

### Trade name: Momentum FS 0W-40

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Store in a bunded area.
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Do not carry product impregnated cleaning cloths in trouser pockets.

Do not eat, drink, smoke or sniff while working.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

### · Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

Goggles recommended during refilling

### · Body protection:

Oil resistant protective clothing

(Contd. on page 4)

G

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.08.2021

Revision: 01.08.2021

(Contd. of page 3)

### Trade name: Momentum FS 0W-40

Body protection must be chosen depending on product properties, activity and possible exposure.

SECTION 9: Physical and chemical properties		
<ul> <li>9.1 Information on basic physical and chemical properties</li> <li>General Information</li> <li>Appearance:</li> </ul>		
Form:	Fluid	
Colour:	Brown	
· Odour:	Mild	
<ul> <li>Change in condition Melting point/freezing point: Initial boiling point and boiling rang</li> </ul>	Undetermined. e: Undetermined.	
· Flash point:	>100 °C	
· Ignition temperature:	>250 °C	
· Auto-ignition temperature:	Product is not self-igniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Density at 20 °C:	0.8 - 0.9 g/cm <sup>3</sup>	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Not miscible or difficult to mix.	
· Viscosity: Kinematic at 40 °C:	>20.5 cSt	
• 9.2 Other information	NOTE: The physical data presented above are typical values and should not be construed as a specification.	

### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- $\cdot$  Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:

Prolonged and repeated contact with USED engine oils may cause serious skin disorders, including dermatitis and cancer. Engine oils are known to accumulate polycyclic aromatic hydrocarbons in use and there is evidence that used crankcase oils from petrol engines are carcinogenic to animals. Used engine oils fall within the definition of 'carcinogen' contained in reg2(1) of COSHH and thus the Carcinogens ACOP applies. Precautions advised by the Enforcing Authorities include controlling exposure by systems of work, personal protection and personal hygiene.

(Contd. on page 5)

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.08.2021

Revision: 01.08.2021

(Contd. of page 4)

Trade name: Momentum FS 0W-40

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot$  STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Inherently biodegradable
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

· Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Contact waste processors for recycling information.

Delivery of waste oil to offically authorised collectors only.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

### · Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

# **SECTION 14: Transport information**

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA

Void

(Contd. on page 6)

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.08.2021

Revision: 01.08.2021

### Trade name: Momentum FS 0W-40

	(Contd. of page 5)
<ul> <li>• 14.2 UN proper shipping name</li> <li>• ADR, ADN, IMDG, IATA</li> </ul>	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN ''Model Regulation'':	Void

# **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

- The risk phrases shown below are for those component substances which are listed in section 3 and not for the actual finished formulation.

- Hazards are concentration dependent. Therefore for the actual hazard classification and risk/safety phrases appropriate for the actual finished formulated product refer to section 2.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2