SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: Geartech EP 75W-80
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC24 Lubricants, greases, release products
- · Application of the substance / the mixture Lubricant
- Uses advised against Processes involving extreme heat use advised against.

\cdot 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

```
Smith & Allan
Valley Street North
Darlington
County Durham
DL1 1QE
Tel: 01325 462228
Fax: 01325 368122
e-mail: enquiries@smithandallan.com
```

· Further information obtainable from: Product safety department.

- · 1.4 Emergency telephone number:
- UK National Poisons Information Service. E-mail: npis.birmingham@nhs.net; Tel: +44 (0)344 892 0111

SECTION 2: Hazards identification

- \cdot 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms GHS07
- · Signal word Warning
- Hazard-determining components of labelling: Olefin sulphide
- · Hazard statements
- H317 May cause an allergic skin reaction.
- · Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · 2.3 Other hazards
- \cdot Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: A blend of highly refined mineral oils with multifunctional additives.

(Contd. on page 2)

Printing date 31.08.2022

Revision: 31.08.2022

Trade name: Geartech EP 75W-80

		(Contd. of page 1)
· Dangerous comp	onents:	
CAS: 68037-01-4	Synthetic base oil	>2.5-≤10%
NLP: 500-183-1	🕹 Asp. Tox. 1, H304	-
	Olefin sulphide	>2.5-≤10%
	🚯 Skin Sens. 1, H317; Aquatic Chronic 4, H413	-
	Phosphoric acid ester amine salt	≤2.5%
	Aquatic Chronic 2, H411	-
	Aryl phosphite	≤2.5%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; (1) Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	-
. Additional inform	nation . For the wording of the listed hazard phrases refer to section 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- DO NOT DELAY!
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- · After eye contact:
- Check for and remove any contact lenses.
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Wash mouth out with water
- Do not induce vomiting; call for medical help immediately.
- If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- · Information for doctor:

High pressure injection injuries of mineral and synthetic oils through the skin require prompt surgical intervention and possibly steroid therapy, to minimise tissue damage and loss of function. Because entry wounds are small and do not reflect the seriousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Local anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Prompt surgical decompression, debridement and evacuation of foreign material should be performed under general anaesthetics, and wide exploration is essential.

- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Combustible
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

(Contd. on page 3)

Printing date 31.08.2022

Revision: 31.08.2022

Trade name: Geartech EP 75W-80

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
- 6.2 Environmental precautions:
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.
- 6.4 Reference to other sections No dangerous substances are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Store in a bunded area.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Wash hands before breaks and at the end of work.

Do not carry product impregnated cleaning cloths in trouser pockets.

Do not eat, drink, smoke or sniff while working.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Respiratory protection: Not necessary if room is well-ventilated.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

GB

Printing date 31.08.2022

Revision: 31.08.2022

(Contd. of page 3)

Trade name: Geartech EP 75W-80

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Safety glasses

Goggles recommended during refilling

 \cdot Body protection: Oil resistant protective clothing

SECTION 9: Physical and chem	ical properties
• 9.1 Information on basic physical and c	chemical properties
· General Information	
· Appearance:	
Form:	Fluid
Colour:	Brown Mineral-oil-like
Odour: Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	e: Undetermined.
· Flash point:	>100 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	>250 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	0.889 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
\cdot Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

 $(Contd. \ on \ page \ 5)$

⁻ GB -

Printing date 31.08.2022

Revision: 31.08.2022

(Contd. of page 4)

Trade name: Geartech EP 75W-80

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- \cdot 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: Strong oxidising agents.
- \cdot 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD)/LC5() val	ues	relev	ant	for	classification:
		~	-		-		

Hignly refined mineral off				
Oral	LD50	>2,000 mg/kg (rat)		
	LD50	>5,000 mg/kg (rabbit)		
Inhalative	LC50/4 h	>20 mg/l (rat)		

• Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- \cdot Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- \cdot **Reproductive toxicity** Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Inherently biodegradable
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 31.08.2022

Revision: 31.08.2022

Trade name: Geartech EP 75W-80

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

- Recommended Hierarchy of Controls:
- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).
- Contact waste processors for recycling information.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Delivery of waste oil to offically authorised collectors only.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precuations.

Containers, even those that are "empty," may contain residues that can develop flammable vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

SECTION 14: Transport information

Void
Void
Void
Void
No
Not applicable.
of Not applicable.
Not dangerous according to the above specifications.
Void

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

 \cdot 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

GB

Printing date 31.08.2022

Trade name: Geartech EP 75W-80

Revision: 31.08.2022

(Contd. of page 6)

This inform	ation is based on our present knowledge. However, this shall not constitute a guarantee for
specific proc	duct features and shall not establish a legally valid contractual relationship.
Relevant pl	nrases
	ful if swallowed.
H304 May b	be fatal if swallowed and enters airways.
	s skin irritation.
	cause an allergic skin reaction.
	es serious eye irritation.
	toxic to aquatic life.
	toxic to aquatic life with long lasting effects.
	to aquatic life with long lasting effects.
H413 May c	cause long lasting harmful effects to aquatic life.
Departmen	t issuing SDS: Product safety department.
Contact:	
Abbreviatio	ons and acronyms:
	relatif au transport international des marchandises dangereuses par route (European Agreement Concerning
	arriage of Dangerous Goods by Road)
	tional Maritime Code for Dangerous Goods
	ional Air Transport Association
	Harmonised System of Classification and Labelling of Chemicals
	pean Inventory of Existing Commercial Chemical Substances pean List of Notified Chemical Substances
	l Abstracts Service (division of the American Chemical Society)
	concentration, 50 percent
	lose, 50 percent
	t, Bioaccumulative and Toxic
	sistent and very Bioaccumulative
	Acute toxicity – Category 4
	xin corrosion/irritation – Category 2
	rious eye damage/eye irritation – Category 2 Skin sensitisation – Category 1
	spiration hazard – Category 1
	1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
	ic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
	ic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2